

Attrezzature per Legatoria e Centri Stampa Digitale

www.importbinder.com
www.legatoria.org
www.legatoria.biz
www.tagliacarte.com



Sales Office External Swiss

C.so San Gottardo,34-6830-Chiasso-TI-Svizzera
Tel. 0041-91-683.24.78- Fax.0041-91-683.24.79
Deposito Sede Operativa ITALIA:
Via Bonzo,12 int.11 -10146-Torino
Tel. +39 011-197.11.987 Mobile 328/37.46.300
Fax.+39 011-197.11.355
e-mail: info@importbinder.com

Tagliarisme Idraulico IBM5780IBM



1. Introduction

- High quality casting part made by resin bonded sand way.
- Four optional computer system.(high capacity of program, precise position resolution, strong malfunction diagnose and misoperation preserve function)
- Chrome-plated slot-less working table installed with double imported linear guide and air cushion.
- Mechanical assistance device for knife replacement
- Overload protection safety device
- Infrared photoelectric protection device
- fluorescent lamp and cutting line indicator
- Ejective device
- Use imported components in Hydraulic system like Atos and Hassan
- Use imported electronic units like SIEMENS, TOSHIBA, ORMON, LG
- PLC control
- Use imported Mechanic components like NSK Bearing
- Imported Motor and motor made in china is optional
- Single Hydraulic

2. The description of computer

Attrezzature per Legatoria e Centri Stampa Digitale

www.importbinder.com
www.legatoria.org
www.legatoria.biz
www.tagliacarte.com

Sales Office External Swiss

C.so San Gottardo,34-6830-Chiasso-TI-Svizzera
Tel. 0041-91-683.24.78- Fax.0041-91-683.24.79
Deposito Sede Operativa ITALIA:
Via Bonzo,12 int.11 -10146-Torino
Tel. +39 011-197.11.987 Mobile 328/37.46.300
Fax.+39 011-197.11.355
e-mail: info@importbinder.com



- Language could be selected between Chinese & English
- Units could be toggled between Metric & Imperial
- M5's back gauge has the position resolution of 0.1mm, closed-loop controller, electrical position error of 0.1 mm and no need for position error adjustment
- M5 has the storage capability of 100 cutting programs, every programs could retain a maximum of 100 data
- The malfunction diagnose and misoperation preserve functions of M5 is strong
- Driven by Emerson Inverter, the maximum speed of the back gauge is 8 m/min
- Auto operation function
- 8 inch LCD

3. Technical parameters

Model	780IBM5
Cutting Width (mm):	780
Cutting length (mm):	780
Cutting height (mm):	120
Frontable length (mm)	610
Frontable Height (mm)	930
Power consumption of Main Motor (kw)	3
Max. Clamping Pressure (Dan)	3000
Cutting speed (times/min):	42
Net Weight (kg):	2100

Attrezzature per Legatoria e Centri Stampa Digitale

www.importbinder.com
www.legatoria.org
www.legatoria.biz
www.tagliacarte.com



Sales Office External Swiss


C.so San Gottardo,34-6830-Chiasso-TI-Svizzera
Tel. 0041-91-683.24.78- Fax.0041-91-683.24.79
Deposito Sede Operativa ITALIA:
Via Bonzo,12 int.11 -10146-Torino
Tel. +39 011-197.11.987 Mobile 328/37.46.300
Fax.+39 011-197.11.355
e-mail: info@importbinder.com

Gross Weight (kg)	2300
Overall Dimensions L x W x H (m)	2x2.1x1.5
Packing size L x W x H (m)	2.4x1.5x1.7

4. Packaging

Wooden case

5. Spare parts (Free)

SERIAL NO.	DESCRIPTION	PHOTO	QUANTITY
1	Knife		1 PIECES
2	Seal Ring		1PIECE
3	O Shape Ring		1 SET
4	Bakelite		10 PIECES
5	V Shape Belt		1 SET
6	Air Pearl On Panel		20 PIECES

Attrezzature per Legatoria e Centri Stampa Digitale

www.importbinder.com
www.legatoria.org
www.legatoria.biz
www.tagliacarte.com



Sales Office External Swiss

C.so San Gottardo,34-6830-Chiasso-TI-Svizzera
Tel. 0041-91-683.24.78- Fax.0041-91-683.24.79
Deposito Sede Operativa ITALIA:
Via Bonzo,12 int.11 -10146-Torino
Tel. +39 011-197.11.987 Mobile 328/37.46.300
Fax.+39 011-197.11.355
e-mail: info@importbinder.com

7	Brake Lining		1 SET
8	Screw Used To Load Knife (12 × 25 mm)		1 SET
9	Spring Of Oil Pot		1 SET
10	Proximity Switch		1PIECE
11	Filter		1 PIECE
12	Hydraulic Pressure Gauge		1 PIECE
13	Racket For Knife Loading		1 PIECE

Attrezzature per Legatoria e Centri Stampa Digitale

www.importbinder.com
www.legatoria.org
www.legatoria.biz
www.tagliacarte.com



Sales Office External Swiss

C.so San Gottardo,34-6830-Chiasso-TI-Svizzera
Tel. 0041-91-683.24.78- Fax.0041-91-683.24.79
Deposito Sede Operativa ITALIA:
Via Bonzo,12 int.11 -10146-Torino
Tel. +39 011-197.11.987 Mobile 328/37.46.300
Fax.+39 011-197.11.355
e-mail: info@importbinder.com

14	Travel Switch For Paper Pusher		1PIECE
15	Travel switch for treadle		1PIECE
16	AC Contactor		1PIECE
17	Safety Screw (12 x 45 mm)		20 PIECES
18	Button		1 PIECE
19	False Clamp		1 PIECE
20	Handrail For Sorting Paper		1 PIECE
21	Tool Box		1 SET